



Quality first, customer supreme

Keep the company improving and make the products perfect



台州市卓信塑业有限公司
TAIZHOU ZHUOXIN PLASTICS CO.,LTD.



公司简介

COMPANY BRIEF INTRODUCTION

Taizhou Zhuoxin Plastics Co., Ltd. (set up in 2006) is a professional manufacture that produce plastic construction products including U-PVC pipes and fittings for water supply and drainage; PPR pipes and fittings for cold and hot water; valves, plastic taps and mould and ect.

Our company located in Huangyan, Zhejiang Province which is famous for "The Homeland of Mould", 20 kms from air port and 3kms from train station. It's convenience for customer's coming.

It covers 3600 square meters and 123 employees, including 5 technicians which reaches ISO standard. With the enterprise growing and worldwide market strategy, we continuing absorb high quality staffs, prepare for blooming.

We now have 4 automatic products' lines and 30 plastic injection machines, 3 material bleeding machines, and a mould workshop. Mainly ASTM standard PVC pipes and fittings, BS standard fittings, NBR5648 standard fittings, valves, taps and moulds, ect, which meet ANSI, BS, DIN. Our products are widely used in agriculture, industry, building, garden irrigation area.

We take market as a leading, surviving on high quality, insisting on developing with science and technology, taking management to get benefit, seeking service with prestige. Taking the tenets of "Quality first, Clients focus, Innovating continuously". With the high quality, our products are greatly favored by overseas clients.

We sincerely invite all domestic and overseas clients to come to advise and cooperate.

PVC-U PRESSURE FITTINGS- NBR5648



COUPLING	SPECIFICATION
ITEM NO:BN01	20 25
STANDARD:NBR5648	32 40
	50 63



EQUAL TEE	SPECIFICATION
ITEM NO:BN02	20 25
STANDARD:NBR5648	32 40
	50 63



REDUCING TEE	SPECIFICATION
ITEM NO:BN03	25x20 32x25
STANDARD:NBR5648	40x32



FEMALE COUPLING	SPECIFICATION
ITEM NO:BN04	20x1/2" 25x3/4"
STANDARD:NBR5648	32x1" 40x1-1/4"
	50x1-1/2" 63x2"
	25x1/2"



MALE ADAPTER	SPECIFICATION
ITEM NO:BN05	20x1/2" 40x1-1/4"
STANDARD:NBR5648	25x3/4" 50x1-1/2"
	32x1" 63x2"



90 DEG ELBOW	SPECIFICATION
ITEM NO:BN06	20 25
STANDARD:NBR5648	32 40
	50 63



FEMALE ELBOW	SPECIFICATION
ITEM NO:BN07 STANDARD:NBR5648	20x1/2" 25x3/4" 32x1"



REDUCING COUPLING	SPECIFICATION
ITEM NO:BN08 STANDARD:NBR5648	25x20 32x25 40x32




REDUCING ELBOW	SPECIFICATION
ITEM NO:BN09 STANDARD:NBR5648	25x20 32x25 40x25 40x32



UNION	SPECIFICATION
ITEM NO:BN10 STANDARD:NBR5648	20 25 32 40 50 63



UNION CONNECTOR	SPECIFICATION
ITEM NO:BN11 STANDARD:NBR5648	20x1/2" 25x3/4" 32x1" 40x1-1/4" 50x1-1/2" 63x2"



REDUCING RING	SPECIFICATION
ITEM NO:BN12 STANDARD:NBR5648	25x20 32x25 40x32



45 DEG ELBOW	SPECIFICATION	
ITEM NO:BN14	20	25
STANDARD:NBR5648	32	40
	50	63



END CAP	SPECIFICATION	
ITEM NO:BN13	20	25
STANDARD:NBR5648	32	40
	50	63



PP BACKNUT	SPECIFICATION
ITEM NO:ZX901	32



FEMALE SOCKET WITH BRASS	SPECIFICATION	
ITEM NO:BN15	20x1/2"	25x3/4"
STANDARD:NBR5648	32x1"	



FEMALE TEE WITH BRASS	SPECIFICATION	
ITEM NO:BN16	20x1/2"	25x3/4"
STANDARD:NBR5648	32x1"	



45DEG ELBOW WITH SOCKET	SPECIFICATION		
ITEM NO:G04	50	75	
STANDARD:NBR5688	110	160	



TEE WITH SOCKET	SPECIFICATION		
ITEM NO:G03	40	50	75
STANDARD:NBR5688	110	160	



SKEW TEE WITH SOCKET	SPECIFICATION		
ITEM NO:G05	50	75	110
STANDARD:NBR5688			



SKEW CROSS WITH SOCKET	SPECIFICATION		
ITEM NO:G06	110		
STANDARD:NBR5688			



ELBOW WITH SOCKET	SPECIFICATION		
ITEM NO:G02	40	50	75
STANDARD:NBR5688	110	160	



REDUCING INSERT	SPECIFICATION		
ITEM NO:G08	110x50		
STANDARD:NBR5688			



REDUCING TEE WITH SOCKET	SPECIFICATION		
ITEM NO:G01	75x50	110x50	
STANDARD:NBR5688	110x75	160x110	



REDUCING SKEW TEE WITH SOCKET	SPECIFICATION		
ITEM NO:G07	110x50		
STANDARD:NBR5688			





FEMALE COUPLING	SPECIFICATION
ITEM NO:C01 END CONNECTOR:THREAD	1/2" 3/4" 1" 1-1/4" 1-1/2" 2"



FEMALE ELBOW	SPECIFICATION
ITEM NO:C02 END CONNECTOR:THREAD	1/2" 3/4" 1" 1-1/4" 1-1/2" 2"



FEMALE TEE	SPECIFICATION
ITEM NO:C03 END CONNECTOR:THREAD	1/2" 3/4" 1" 1-1/4" 1-1/2" 2"



FEMALE REDUCING TEE	SPECIFICATION
ITEM NO:C04 END CONNECTOR:THREAD	3/4"x1/2" 1"x1/2" 1"x3/4"



MALE COUPLING	SPECIFICATION
ITEM NO:C05 END CONNECTOR:THREAD	1/2" 3/4" 1" 1-1/4" 1-1/2" 2"



MALE & FEMALE ELBOW	SPECIFICATION
ITEM NO:C06 END CONNECTOR:THREAD	1/2" 3/4" 1"



FEMALE AND MALE ADAPTER	SPECIFICATION
ITEM NO:C07 END CONNECTOR:THREAD	3/4"x1/2" 1"x1/2" 1"x3/4" 1-1/4"x3/4" 1-1/4"x1" 1-1/2"x1-1/4" 1-1/2"x3/4" 1-1/2"x1" 2x1" 2x1"-1/4" 2x1"-1/2"



MALE PLUG	SPECIFICATION
ITEM NO:C08 END CONNECTOR:THREAD	1/2" 11/4" 3/4" 11/2" 1" 2"



FEMALE REDUCER	SPECIFICATION
ITEM NO:C09 END CONNECTOR:THREAD	3/4"x1/2" 1"x1/2" 1"x3/4"



FEMALE & MALE REDUCER	SPECIFICATION
ITEM NO:C10 END CONNECTOR:THREAD	3/4"x1/2" 1"x1/2" 1"x3/4"



FEMALE & MALE UNION	SPECIFICATION
ITEM NO:C11 END CONNECTOR:THREAD	1/2" 3/4" 1"



FEMALE UNION	SPECIFICATION
ITEM NO:C12 END CONNECTOR:THREAD	1/2" 3/4" 1" 1-1/4" 1-1/2" 2"



FEMALE UNION ELBOW	SPECIFICATION
ITEM NO:C13 END CONNECTOR:THREAD	1/2" 3/4" 1"



FEMALE & MALE UNION ELBOW	SPECIFICATION
ITEM NO:C14 END CONNECTOR:THREAD	1/2" 3/4" 1"



REDUCING ELBOW	SPECIFICATION
ITEM NO:C15 END CONNECTOR:THREAD	1/2"X3/4"



ELBOW WITH BRASS	SPECIFICATION
ITEM NO:C16 END CONNECTOR:THREAD	1/2", 3/4" 1/2x3/4



MALE REDUCER	SPECIFICATION
ITEM NO:C17 END CONNECTOR:THREAD	3/4"x1/2" 1"x1/2" 1"x3/4"



FEMALE CAP	SPECIFICATION
ITEM NO:C18 END CONNECTOR:THREAD	1/2" 3/4" 1" 1 1/4" 1 1/2" 2"



CLIP	SPECIFICATION
ITEM NO:C19 END CONNECTOR:THREAD	1/2" 3/4"



UNION WITH MOVABLE HEAD	SPECIFICATION
ITEM NO:C20 END CONNECTOR:THREAD	3/4"



MALE & FEMALE UNION CONNECTOR	SPECIFICATION
ITEM NO:C21 END CONNECTOR:THREAD	1/2" 3/4" 1" 1-1/4" 1-1/2" 2"



ELBOW WITH PLATE	SPECIFICATION
ITEM NO:C22 END CONNECTOR:THREAD	1/2"



BS WATER SUPPLY PIPES	SPECIFICATION
	1/2x2.77 3/4x2.87
	1x3.38 1-1/4x3.56
	1-1/2x3.68 2"x3.91
	2"x4.2 2-1/2"x5.16
	3"x5.49 3"x5.7
	4"x6.02 4"x7.3



SAM-UK[®]



PVC-U PRESSURE FITTINGS - SCH40 ASTM D2466



COUPLING	SPECIFICATION
ITEM NO:AN01 STANDARD:ASTM D2466	1/2" 3/4" 1" 1 1/4" 1 1/2" 2" 2 1/2" 3" 4"



CAP	SPECIFICATION
ITEM NO:AN02 STANDARD:ASTM D2466	1/2" 3/4" 1" 1 1/4" 1 1/2" 2" 2 1/2" 3" 4"



TEE	SPECIFICATION
ITEM NO:AN03 STANDARD:ASTM D2466	1/2" 3/4" 1" 1 1/4" 1 1/2" 2" 2 1/2" 3" 4"



FEMALE ADAPTER	SPECIFICATION
ITEM NO:AN04 STANDARD:ASTM D2466	1/2" 3/4" 1" 1 1/4" 1 1/2" 2"



MALE ADAPTER	SPECIFICATION
ITEM NO:AN05 STANDARD:ASTM D2466	1/2" 3/4" 1" 1 1/4" 1 1/2" 2"



90DEG ELBOW	SPECIFICATION
ITEM NO:AN06 STANDARD:ASTM D2466	1/2" 3/4" 1" 1 1/4" 1 1/2" 2" 2 1/2" 3" 4"



45DEG ELBOW	SPECIFICATION
ITEM NO:AN07 STANDARD:ASTM D2466	1/2" 3/4" 1" 1 1/4" 1 1/2" 2" 2 1/2" 3" 4"



FEMALE TEE	SPECIFICATION
ITEM NO:AN08 STANDARD:ASTM D2466	1/2" 3/4" 1"



FEMALE ELBOW	SPECIFICATION
ITEM NO:AN09 STANDARD:ASTM D2466	1/2" 3/4" 1"



REDUCING TEE	SPECIFICATION
ITEM NO:AN10 STANDARD:ASTM D2466	3/4" x 1/2" 1" x 1/2" 1" x 3/4"



REDUCING BUSHING	SPECIFICATION
ITEM NO:AN11 STANDARD:ASTM D2466	3/4" x 1/2" 1" x 1/2" 1" x 3/4" 1 1/4" x 1" 1 1/2" x 1" 1 1/2" x 1 1/4" 2" x 1 1/2" 2" x 1" 3" x 4" 2" x 1" 2" x 1-1/4"



REDUCING COUPLING	SPECIFICATION
ITEM NO:AN12 STANDARD:ASTM D2466	3/4" x 1/2" 1" x 1/2" 1" x 3/4" 1-1/4" x 1" 1-1/4" x 3/4" 1-1/2" x 1-1/4" 1-1/2" x 1" 2" x 1-1/2" 2" x 1-1/4" 2-1/2" x 2" 2-1/2" x 1-1/2" 3" x 2-1/2" 3" x 2" 4" x 3" 4" x 2-1/2" 2" x 1" 2" x 1-1/4"



REDUCING FEMALE ELBOW	SPECIFICATION
ITEM NO:AN13 STANDARD:ASTM D2466	3/4" x 1/2" 1" x 1/2" 1" x 3/4"



REDUCING FEMALE TEE	SPECIFICATION
ITEM NO:AN14 STANDARD:ASTM D2466	3/4" x 1/2" 1" x 1/2" 1" x 3/4"



REDUCING BUSHING (AN15)MIP*FIP	SPECIFICATION
ITEM NO:AN15 STANDARD:ASTM D2466	3/4"x1/2"



PLUG	SPECIFICATION
ITEM NO:AN16 STANDARD:ASTM D2466	1/2" 3/4" 1" 1 1/4" 1 1/2" 2"



PIPE CLIP	SPECIFICATION
ITEM NO:AN17 STANDARD:ASTM D2466	1/2" 3/4" 1" 1 1/4" 1 1/2" 2" 3" 4"



COMPRESSION COUPLING	SPECIFICATION
ITEM NO:AN18 STANDARD:ASTM D2466	1/2" 3/4" 1" 1 1/4" 1 1/2" 2" 2 1/2" 3" 4"



UNION	SPECIFICATION
ITEM NO:AN19 STANDARD:ASTM D2466	1/2" 3/4" 1" 1 1/4" 1 1/2" 2"



ELBOW WITH BRASS	SPECIFICATION
ITEM NO:AN20 STANDARD:ASTM D2466	1/2" 3/4"



PVC PIPE



DWV COUPLER	SPECIFICATION
ITEM NO:D01 STANDARD:ASTM D2665	1-1/2" 3" 2" 4"



DWV 45DEG Elbow (II)	SPECIFICATION
ITEM NO:D03 STANDARD:ASTM D2665	3" 4"



DWV 90DEG Elbow (II)	SPECIFICATION
ITEM NO:D02 STANDARD:ASTM D2665	3" 4"



DWV TEE	SPECIFICATION
ITEM NO:D05 STANDARD:ASTM D2665	1-1/2" 2" 3" 4" 6"



DWV 90DEG TEE (II)	SPECIFICATION
ITEM NO:D04 STANDARD:ASTM D2665	3" 4"



DWV Y-TEE	SPECIFICATION
ITEM NO:D08 STANDARD:ASTM D2665	1-1/2" 2" 3" 4"



DWV BEND	SPECIFICATION
ITEM NO:D06 STANDARD:ASTM D2665	1-1/2" 2" 3" 4" 6"



DWV PLUG	SPECIFICATION
ITEM NO:D09 STANDARD:ASTM D2665	1-1/4" 1-1/2" 2" 3" 4" 6"



DWV VENT CAP	SPECIFICATION
ITEM NO:D10 STANDARD:ASTM D2665	2" 3" 4"



COUPLING	SPECIFICATION
ITEM NO:B01	20 25 32
STANDARD:DIN	40 50 63
	75 90 110



90DEG ELBOW	SPECIFICATION
ITEM NO:B02	20 25 32
STANDARD:DIN	40 50 63
	75 90 110



45DEG ELBOW	SPECIFICATION
ITEM NO:B03	20 25 32
STANDARD:DIN	40 50 63
	75 90 110



TEE	SPECIFICATION
ITEM NO:B04	20 25 32
STANDARD:DIN	40 50 63
	75 90 110



REDUCING COUPLING	SPECIFICATION
ITEM NO:B05 STANDARD:DIN	25x20 32x20 32x25
	40x20 40x25 40x32
	50x20 50x25 50x32
	50x40 63x20 63x25
	63x32 63x40 63x50
	75x20 75x25 75x32
	75x40 75x50 75x63



CAP	SPECIFICATION
ITEM NO:B06 STANDARD:DIN	20 25
	32 40
	50 63
	75



FEMALE COUPLING	SPECIFICATION
ITEM NO: B07 STANDARD: DIN	20x1/2" 25x1/2" 25x3/4" 32x1/2" 32x3/4" 32x1" 40x1-1/4" 50x1-1/2" 63x2"



MALE COUPLING	SPECIFICATION
ITEM NO: B08 STANDARD: DIN	20x1/2" 25x1/2" 25x3/4" 32x1/2" 32x3/4" 32x1" 40x1-1/4" 50x1-1/2" 63x2"



FEMALE ELBOW	SPECIFICATION
ITEM NO: B09 STANDARD: DIN	20x1/2" 20x3/4" 25x1/2" 25x3/4" 32x1/2" 32x3/4" 32x1" 40x1-1/4" 50x1-1/2" 63x2"



MALE ELBOW	SPECIFICATION
ITEM NO: B10 STANDARD: DIN	20x1/2" 20x3/4" 25x1/2" 25x3/4" 32x1/2" 32x3/4" 32x1" 40x1-1/4" 50x1-1/2" 63x2"



REDUCING TEE	SPECIFICATION
ITEM NO: B11 STANDARD: DIN	25x20*25 32x20*32 32x25*32 40x20*40 40x25*40 40x32*40 50x20*50 50x25*50 50x32*50 50x40*50 63x20*63 63x25*63 63x32*63 63x40*63 63x50*63 75x20*75 75x25*75 75x32*75 75x40*75 75x50*75 75x63*75



UNION	SPECIFICATION
ITEM NO: B12 STANDARD: DIN	20 25 32 40 50 63



FEMALE TEE	SPECIFICATION
ITEM NO: B13 STANDARD: DIN	20x1/2" 20x3/4" 25x1/2" 25x3/4" 32x1/2" 32x3/4" 32x1" 40x1-1/4" 50x1-1/2" 63x2"



MALE TEE	SPECIFICATION
ITEM NO: B14 STANDARD: DIN	20x1/2" 20x3/4" 25x1/2" 25x3/4" 32x1/2" 32x3/4" 32x1" 40x1-1/4" 50x1-1/2" 63x2"



MALE UNION	SPECIFICATION
ITEM NO: B15 STANDARD: DIN	20x1/2"M 25x3/4"M 32x1"M 40x1-1/4"M 50x1-1/2"M 63x2"M



FEMALE UNION	SPECIFICATION
ITEM NO: B16 STANDARD: DIN	20x1/2"F 25x3/4"F 32x1"F 40x1-1/4"F 50x1-1/2"F 63x2"F



BALL VALVE	SPECIFICATION
ITEM NO: B17 STANDARD: DIN	20 40 25 50 32 63



CONCEALED VALVE(I)	SPECIFICATION
ITEM NO: B18 STANDARD: DIN	20 25 32



STOP VALVE	SPECIFICATION
ITEM NO:B20 STANDARD:DIN	20 25 32



BRIDGE	SPECIFICATION
ITEM NO:B21 STANDARD:DIN	20 25 32



CONCEALED VALVE	SPECIFICATION
ITEM NO:B22 STANDARD:DIN	20 25 32



HEAVY STOP VALVE	SPECIFICATION
ITEM NO:B23 STANDARD:DIN	20 25 32 40 50 63



TRUE UNION BALL COCK	SPECIFICATION
ITEM NO:B24 STANDARD:DIN	20 40 25 50 32 63




MALE BRASS BALL COCK	SPECIFICATION
ITEM NO:B25 STANDARD:DIN	20x1/2"M 25x3/4"M 32x1"M



FEMALE BRASS BALL VALVE	SPECIFICATION
ITEM NO: B26 STANDARD: DIN	20x1/2"F 25x3/4"F 32x1"F



REDUCING ELBOW	SPECIFICATION
ITEM NO: B27 STANDARD: DIN	25x20 32x20 32x25




U CLIP	SPECIFICATION
ITEM NO: B28 STANDARD: DIN	16 20 25 32 40



PIPE CUTTER	SPECIFICATION
ITEM NO: B29 STANDARD: DIN	20-32



WELDING MACHINE	SPECIFICATION
ITEM NO: B30 STANDARD: DIN	20-32 20-63



PPR PIPE

■ TAIZHOU ZHUOXIN PLASTICS CO.,LTD.





PVC COMPACT BALL VALVE	SPECIFICATION
ITEM NO:E01 END CONNECTOR:SOCKET/THREAD STANDARD:DIN ANSI BS	1/2" 3/4" 1" 1-1/4" 1-1/2" 2" 2-1/2" 3" 4"



PVC OCTAGONAL BALL VALVE	SPECIFICATION
ITEM NO:E02 END CONNECTOR:SOCKET/THREAD STANDARD:DIN ANSI BS	1/2" 3/4" 1" 1-1/4" 1-1/2" 2" 2-1/2" 3" 4"



PVC DOUBLE UNION BALL VALVE	SPECIFICATION
ITEM NO:E03 END CONNECTOR:SOCKET STANDARD:DIN ANSI BS	1/2" 3/4" 1" 1-1/4" 1-1/2" 2" 2-1/2" 3" 4"



PVC SINGLE UNION BALL VALVE	SPECIFICATION
ITEM NO:E04 END CONNECTOR:SOCKET STANDARD:DIN ANSI BS	1/2" 3/4" 1" 1-1/4" 1-1/2" 2" 2-1/2" 3" 4"



PVC FOOT VALVE	SPECIFICATION
ITEM NO:E05 END CONNECTOR:SOCKET/THREAD STANDARD:DIN ANSI BS	3/4" 1" 1-1/4" 1-1/2" 2" 2-1/2" 3" 5" 4" 6" 8"



PVC CHECK VALVE	SPECIFICATION
ITEM NO:E06 END CONNECTOR:SOCKET STANDARD:DIN ANSI BS	1/2" 3/4" 1" 1-1/4" 1-1/2" 2" 2-1/2" 3" 4" 6" 8"



PVC BUTTERFLY VALVE (HANDLE LEVER TYPE)	SPECIFICATION
ITEM NO:E07 END CONNECTOR:FLANGE STANDARD:DIN ANSI BS	2" 2-1/2" 3" 4" 5" 6" 8"



PVC MINIBALL VALVE	SPECIFICATION
ITEM NO:E08 END CONNECTOR:SOCKET THREAD STANDARD:DIN	20 40 25 50 32 63



PP ADDING EXIT	SPECIFICATION
ITEM NO:F11	40x1-1/2" 50x1-1/2" 50x2" 63x2" 63x2-1/2" 75x2-1/2" 75x3" 90x3" 90x4" 110x4"



PP MALE ADAPTER	SPECIFICATION
ITEM NO:F10	20 25 32 40 50 63 75 90 110



PP MALE ELBOW	SPECIFICATION
ITEM NO:F07	20x1/2" 25x3/4" 32x1" 40x1-1/4" 50x1-1/2" 63x2" 75x2-1/2" 90x3" 110x4"



PP MALE TEE	SPECIFICATION
ITEM NO:F	20 25 32 40 50 63 75 90 110



PP REDUCING COUPLING	SPECIFICATION
ITEM NO:F13	25x20 32x20 32x25 40x25 40x32 50x25 50x32 50x40 63x32 63x40 63x50 75x50 75x63 90x63 90x75 110x90



PP TEE	SPECIFICATION
ITEM NO:F12	20 25 32 40 50 63 75 90 110



PP REDUCING TEE	SPECIFICATION
ITEM NO:F15	25x20x25 32x20x32 32x25x32 40x25x40 40x32x40 50x25x50 50x32x50 50x40x50 63x50x63 75x50x75 75x63x75 90x63x90 90x75x90 110x90x110

PP COMPRESSION FITTINGS SERIES



PP ADDING EXIT	SPECIFICATION
ITEM NO:F01	25 32 40 50 63 75 90 110 125 160 200



PP COUPLING	SPECIFICATION
ITEM NO:F02	20 25 32 40 50 63 75 90 110



PP 90DEG ELBOW	SPECIFICATION
ITEM NO:E03	20 25 32 40 50 63 75 90 110



PP ELBOW WALL PLATED	SPECIFICATION
ITEM NO:E04	20 25 32 40 50 63 75 90 110



PP END CAP	SPECIFICATION
ITEM NO:F05	20 25 32 40 50 63 75 90 110



PP FEMALE ADAPTER	SPECIFICATION
ITEM NO:F06	20x1/2" 20x3/4" 25x1/2" 25x3/4" 25x1" 32x1" 40x1-1/4" 50x1-1/2" 63x2" 75x2-1/2" 90x3" 110x4"



PP FEMALE ELBOW	SPECIFICATION
ITEM NO:F07	20x1/2" 25x3/4" 32x1" 40x1-1/4" 50x1-1/2" 63x1-1/2" 63x2" 75x2" 75x2-1/2" 90x3" 110x4"



PP FEMALE TEE	SPECIFICATION
ITEM NO:F08	20x1/2" 25x3/4" 25x1/2" 25x3/4" 25x1" 32x3/4" 32x1" 40x1" 40x1-1/4" 50x1-1/2" 63x1-1/2" 63x2" 75x2-1/2" 90x3" 110x4"

SANITARY WARE-SERIES



ITEM NO:ZX8001
MATERIAL:PP



ITEM NO:ZX8002
MATERIAL:PVC



ITEM NO:ZX8012
MATERIAL:PP PVC



ITEM NO:ZX8021
MATERIAL:PP PVC



ITEM NO:ZX8092
MATERIAL:PVC ABS



ITEM NO:ZX8032
MATERIAL:PP



ITEM NO:ZX8052
MATERIAL:ABS



ITEM NO:ZX8055
MATERIAL:PP ABS



ITEM NO:ZX8060
MATERIAL:PVC



ITEM NO:ZX8061
MATERIAL:PVC



ITEM NO:ZX8062
MATERIAL:PVC



ITEM NO:ZX8063
MATERIAL:PVC



ITEM NO:ZX8066
MATERIAL:PVC



ITEM NO:ZX8090
MATERIAL:ABS PVC



ITEM NO:ZX8091
MATERIAL:ABS

PVC inside (mm)	size (inch)	ANSI outside diameter (mm)	diameter cns standard		BS outside diameter (mm)	JIS standard		DIN standard	
			outside diameter (mm)	wall thickness (mm)		outside diameter (mm)	wall thickness (mm)	outside diameter (mm)	wall thickness (mm)
10	3/8"	17.14	18±0.2	2.2±0.6	17.14	18±0.2	2.5±0.2	16±0.2	
15	1/2"	21.34	22±0.2	2.7±0.6	21.34	22±0.2	3.0±0.3	20±0.2	3.0±0.3
20	3/4"	26.67	26±0.2	2.7±0.6	26.67	26±0.2	3.0±0.3	25±0.2	3.0±0.3
25	1"	33.4	34±0.3	3.2±0.6	33.4	32±0.2	3.5±0.3	32±0.2	3.5±0.4
32	1+1/4"	42.16	42±0.3	3.2±0.6	42.16	38±0.3	3.5±0.3	40±0.2	3.5±0.4
40	1+1/2"	48.26	48±0.4	3.6±0.8	48.26	48±0.4	4.0±0.4	50±0.2	4.0±0.4
50	2"	60.32	60±0.5	4.1±0.8	60.32	60±0.5	4.5±0.4	63±0.3	4.5±0.4
65	2+1/2"	73.02	76±0.5	4.1±0.8	73.02	76±0.5	4.5±0.4	75±0.3	4.5±0.4
80	3"	88.9	89±0.5	5.1±0.8	88.9	89±0.5	5.9±0.4	90±0.3	5.9±0.4
100	4"	114.3	114±0.6	6.6±1.0	114.3	114±0.6	7.1±0.5	110±0.3	7.1±0.5
125	5"	141.3	140±0.8	7.5±1.2	141.3	140±0.8	7.5±0.5	140±0.4	7.5±0.5
150	6"	168.28	165±1.0	8.5±1.4	168.28	165±1.0	9.6±0.7	160±0.4	9.6±0.7
200	8"	219.08	216±1.3	10.5±1.4	219.08	216±1.3	11.0±0.7	225±0.5	11.0±0.7
250	10"	273.05	267±1.6	13.0±1.8	273.05	267±1.6	13.6±0.9	250±0.5	13.6±0.9

公称外径 (De)		壁厚 (MM)								
		公称压力 (Mpa)								
		PN1.00Mpa		PN1.25Mpa		PN1.60Mpa		PN2.00Mpa		长度
公称外径 (De)	平均允许偏差	基本尺寸	公差	基本尺寸	公差	基本尺寸	公差	基本尺寸	公差	mm
16	+0.3 0					1.8	+0.5 0	2.2	+0.5 0	4000±10
20						2.3		2.8		
25	+0.3 0			2.3	+0.5 0	2.8	+0.5 0	3.5	+0.6 0	
32	+0.3 0	2.4	+0.5 0	3.0	+0.5 0	3.6	+0.6 0	4.4	+0.7 0	
40	+0.4 0	3.0	+0.5 0	3.7	+0.6 0	4.5	+0.7 0	5.5	+0.8 0	
50	+0.5 0	3.7	+0.6 0	4.6	+0.7 0	5.6	+0.8 0	6.9	+0.9 0	
63	+0.6 0	4.7	+0.7 0	5.8	+0.8 0	7.1	+1.0 0	8.7	+1.1 0	
75	+0.7 0	5.7	+0.8 0	6.9	+0.9 0	8.4	+1.1 0	10.3	+1.3 0	
90	+0.9 0	6.7	+0.9 0	8.2	+1.1 0	10.1	+1.3 0	12.3	+1.5 0	
110	+1.0 0	8.1	+1.1 0	10.1	+1.2 0	12.3	+1.5 0	15.1	+1.8 0	

Add: Toutuo Industrial Park, Huangyan, Taizhou, Zhejiang, China

Tel: 0086-576-84035982 84224545

Fax: 0086-576-84035983

Zip: 318020

E-mail: sales@zuo-xin.com

Http://www.zuo-xin.com

Http://tzzxxy.en.alibaba.com/